٠٨:٠٠

سری سوال: یک ۱	(دقیقه): تستی: ۹۰ تشریحی: ۰	زمان آزمون (،اد سوالات: تستى: ٣٠ تشريحى: .
			ــــوان درس: اصول وروش تحقیق ۲
۱۲۱۲۱ – ، آموزش زبان	۱۲۱۲۰۹ – ، زبان وادبیات انگلیسی ۳۲		شته تحصیلی/کد درس: مترجمی زبان انگلیسی۰۸۸
1-In social science researd large, happy.	h, data usually	employs descriptive w	ords such as few, small,
 qualitative 	^{2.} quantitative	3. statistical	^{4.} experimental
2-The mean of scores in a scores have a normal di	vocabulary test is 38 and stribution, the proportion		
1. 34%	2. 13%	3. 50%	4. 68%
3-In a test of Grammar, th		12, 10, 11, 13, 11, 12, 1	15, 12, 15, 11, 13, 11
1. ₁₅	2. 12.5	3. 11	4. 12
4-In interview, a respondents.	set of questions is prepar	ed in advance and cons	sistently asked from the
1. unstructured	2. structured	3. random	^{4.} direct
5-Content or validit content of the test and	ty enables the researcher the content of the materi	25 NO. 10 NO.	dence between the
1. concurrent	^{2.} predictive	3. construct	4. curricular
6-Which of the following	is NOT among the differen	nt ways of establishing	the reliability of a test?
1. Rational equivalence		2. Instrumentation	bias
3. Split half		^{4.} Test-retest	
7-In a(n) scale, ead determined by summing	ch response is associated g the point values for eacl	NAMES OF TAKE STATES AND STATES AND ADDRESS OF THE STATES AND ADDRESS OF TAKES AND ADDRESS OF	the individual's score is
1. nominal	2. ordinal	3. Likert	4. interval
8-Which of the following	is one of the most freque	ntly used association te	chniques?
1. Rorschach inkblot tes	st	2. Structured interv	iew
3. Quasi-experimental t	est	^{4.} Closed questionn	aire
9-Another name that is us	sed instead of relative fre	quency is	
1. percentage	^{2.} inventory	3. proportion	4. reliability



سری سوال: یک ۱	ىشرىخى : .	(دفیقه) : نستی : ۹۰	ازمون	ی: ۰ زمان	عداد سوالات: نستى: ٣٠ نشريح
۱۲۱۲۱۳۲ – ، آموزش زبان	بیات انگلیسی			عقیق ۲،روش تحقیق در مسائل زب ی زبان انگلیسی، آموزش زبان انگ بی۱۲۲۵۰۸۸	رشته تحصیلی/کد درس: مترجم
10-A researcher obtains bottom to the top.	by a	dding up the	abso	lute frequencies succes	sively from the
1. collective frequency			2.	relative frequency	
3. simple frequency			4.	cumulative frequency	
11-In a typical presentation o	of a polygo	n, the most fi	eque	ent score which is the p	eak is called
1. median	2. mode		3.	mean	4. range
12-When relative frequency i	is multiplie	ed by 100, out	come	e is the	
1. absolute frequency			2.	percentile	
3. cumulative frequency			4.	percentage	
13-A percentile rank of 55 inc	dicates tha	t 54 percent o	f sco	res are that ra	nk.
1. both above and below			2.	above	
^{3.} below			4.	either above or below	
14-When the frequency of hi	gh scores i	s more than t	hat c	of low scores, the distri	bution is said to be
1. negatively skewed			2.	positively skewed	
3. a bimodal distribution			4.	a flat distribution	
15-Consistency of the obtain	ed scores	on a test refer	s to 1	the of the test	t.
1. maturation	2. validity			randomization	4. reliability
16-Representativeness criter	ion require	es that the sa	mple	reflect the characterist	tics of the
1. cluster	^{2.} invento	ory	3.	population	^{4.} researchers
17-The variance equals to the	e	- the standard	d dev	iation.	
1. square of			2.	square root of	
^{3.} interval difference of			4.	adjusted difference of	
18-The difference between the	he highest	and the lowe	st sco	ores in the distribution	is called
1. mean	^{2.} mediar	ı	3.	deviation	^{4.} range

= صفحه 3 از 4 =



_____1010/101046734

سری سو ال: یک ۱	تى: ٩٠ تشري حى: .	زمان آزمون (دقيقه) : تس	داد سوالات: تستی: ۳۰٪ تشریحی: .
		تحقیق در مسائل زبان اموزی	نـــوان درس: اصول وروش تحقیق ۲،روش
۱۲۱۲۱۳۲ – ، آموزش زبان	زبان وادبیات انگلیسی '	سی، آموزش زبان انگلیسی ۱۲۱۲۰۹۱ –	شته تحصیلی/کد درس: مترجمی زبان انگلید
			انگلیسی۱۲۲۵۰۸۸
19-Measures of central tend	ency and variabi	ity are necessary pieces of	information about the
1. reliability	^{2.} validity	3. distribution	4. directory
20-In research data analysis, contribute to the comput		to one piece of informatio	n in the data which does not
1. degrees of freedom		2. central tende	ency
3. variability		4. range	
21-The asymptotic property horizontal line.	of a normal disti	ibution is that the tails of	the curve the
1. sometimes meet		2. never meet	
3. may cross		4. must cross	
22-The Z score is obtained by	taking into acco	unt the mean and the	of the raw scores.
1. standard deviation		2. central tende	ency
^{3.} normal distribution		^{4.} derived score	2
23-In order to convert raw se	cores into more i	meaningful scores,	is needed.
1. a reference scale		^{2.} a reference c	ollection
3. a percentile rank		^{4.} a mean devia	ition
24-How the study was condu	ucted explained v	vithin the of the jo	urnal article.
1. conclusion	2. discussion	3. material	^{4.} procedure
25-When observed values ar	e obtained, the r	esearcher should check th	em against values.
1. population	2. critical	^{3.} sample	4. standard
26-The concept of "degrees	of freedom" is in	portant in t-test because	it
 provides an accurate n 	number of subjec	ts .	
2. makes the sample see	m more random		
3. determines the shape	of the score distr	ibution	
4. smoothes out the shap	e of the t distrib	ution	
27-Which term is used to sho	orten the data w	thout losing any importar	nt piece of information?
 elaborating 	2. collecting	3. analyzing	^{4.} summarizing



سری سوال: یک ۱	دقیقه): تستی : ۹۰ تشریحی : ۱	زمان آزمون (تعداد سوالات: تستى: ٣٠ تشريحى: .
	·	۲،روش تحقیق در مسائل زبان اموزی	عنـــوان درس: اصول وروش تحقيق
۱۲ – ، آموزش زبان	۱۲۱۲۰۹ – ، زبان وادبیات انگلیسی ۱۲۱۳۲		رشته تحصیلی/کد درس: مترجمی زبا انگلیسی۸۸
28-In the matched t-test	t formula, the difference bet	ween every pair of scores	s is called
1. adjusted score	^{2.} corrected score	^{3.} deviation score	4. nominal score
29-With large sizes, the	value of t		
 is drastically different 	rent from that of Z	2. is almost identical	to that of Z
3. must be used inst	ead of Z	4. must be used along	g with Z value
30-It is recommended th	nat the raw scores be transfo	ormed into standard score	es in order to make them
1. comparable	2. sealed	3. desirable	4. specific

	وضعيت كليد	پاسخ صحیح	شىمار، سىواك
عادي		الف	Υ
عادي		2	۲
عادي		2	٣
عادي		ب	۴
عادي		۷	۵
عادي		ب	5
عادي		5	٧
عادي		الف	Λ
عادي		5	٩
عادي		۵	1+
عادي		ب	- 11
عادي		د	17
عادي		ح	۱۳
عادي		الف	14
عادي		۵	۱۵
عادي		5	18
عادي		الف	17
عادي		2	λA
عادي		5	19
عادي		الف	۲.
عادي		ب	71
عادي		الف	77
عادي		الف	77
عادي		د	74
عادي		ب	70
عادي		الف	75
عادي		۵	77
عادي		5	۲۸
عادي		ب	79
عادي		الف	٣.